

REGISTERED

M/s _____

Subject: Notice Inviting Quotation for Purchase of Equipments/Items

This institute intends to purchase of Equipments/Items as detailed given below. Interested firm/parties are requested to send the quotation to the office of undersigned in a sealed cover super scribed "**Quotation for Equipments**" on or before **02.03.2015**.

Sr. No.	Name of the items	Qty.	Specifications
1.	Digital Vernier Callipers	01	As per Annexure-'A'
2.	Digital micrometer	01	-do-
3.	Vernier Micrometer	01	-do-
4.	Magnet V block with Clamp (75x100x100 mm)	01	-do-
5.	Magnet V block with Clamp (200x200x150 mm)	01	-do-
6.	Magnet V block with Clamp (150x150x100 mm)	01	-do-
7.	Double Ended Pedestal Grinder (Grinding Wheel Dia. : 200 mm)	01	-do-
8.	Double Ended Pedestal Grinder (Grinding Wheel Dia. : 350 mm)	01	-do-
9.	Gear type pillar drilling machine rack and pinion	01	-do-
10.	Universal Bevel Protector MITTUTOYO	01	-do-
11.	Lathe Machine	01	-do-
12.	Electric planer	05	-do-
13.	Circular Saw Machine	01	-do-

Note: It may be noted that quotation received only through REGISTERED/SPEED post shall be considered. The institute is located in remote area and it takes 5 to 7 days to reach the mail, therefore, quotation be dispatched well in time considering this factor.

N.B.:

1. Rate of ST/VAT if extra must be mentioned clearly.
2. Price quoted must be FOR SLIET.
3. Quotation received later than due date are liable to be ignored/rejected.
4. Other terms and condition for submitting the quotation are given overleaf which must be read carefully before submitting the quotation.
5. We are not responsible for accidental opening of the cover if it is not properly super scribed and sealed.
6. Quotation must be submitted on letter head of the firm with all particular, any other format will not be acceptable.

Faculty I/c (Purchase)**PTO**

TERMS & CONDITIONS FOR QUOTATION

DELIVERY	The rate quoted must preferably be free delivery/F.O.R. Longowal after allowing the discount, if any. Where quoted extra ad-valorem rate payable, it should be clearly indicated. Supply should be made within the specified delivery period.
TERMS OF PAYMENT	Our normal terms of payment is within 30 days after receipt of stores in good condition by means of cheque/draft/RTGS
TAXES	No sales tax concession against Form 'C' and 'D' is admissible to this Institute. However, 'Form E' certificate being an educational institute can be issued if sales tax concession is admissible.
EXEMPTIONS	Excise and customs duties are exempted to the institute. The relevant exemption certificate will be issued to the successful bidder only if the excise duty/custom duty is exclusively mentioned in the Quotation. In case the offered items are to be imported, the rates should be quoted in foreign currency on FOB basis. Basic duty as applicable under notification No. 51/96 customs dated 23.07.1996 as applicable shall be borne by the institute. If the price quoted is in foreign currency then payment shall be made through letter of credit against submission of B.G. of Min. 25% value of supply order, if the order value is more than US\$ 10,000 or through Telegraphic Transfer (TT) if the order value is less than US\$ 10,000 though Nationalized banks. The bank charges outside India should be borne by the Beneficiary. Clearance at customs will be arranged by us but you will assist our clearance agent. In case of indigenous item the price must be quoted in Indian Rupees and 100% payment will be made only after successful installation, testing and commissioning of equipment. No advance payment will be made.
DIRECTOR'S RIGHTS	Director, SLIET, reserves the rights of acceptance or rejection of any or all quotations. The discretion for increasing or decreasing of the quantities also rests with him. SLIET also not bind itself to accept does the lowest price. In case of any dispute, the decision of Director SLIET will be final & binding.
VALIDITY OF QUOTATIONS	Quotations will be considered valid for 03 months from the date of quotation
CORRESPONDENCE	No correspondence regarding acceptance/rejection of a quotation will be entertained.
SAMPLE/BRAND/MAKE/WEIGHT	Sample where asked for, will invariably be made available and sent along with the quotations. However, Brand/Make/Weight etc. must be mentioned clearly in the quotations. Technical literature/pamphlet should also be enclosed.
REJECTION	Quotation not confirming to the set procedure as above will be rejected.
DISCOUNT/REBATES	A special discount/rebate wherever admissible keeping in view that the supplies are being made for education purpose in respect of Public Institution of national importance may please be indicated.
	Conditional, telegraphic quotation shall be rejected out rightly.
	SLIET shall not be held responsible for any postal delay in sending or late receipt of quotation.
	Quotation should be free from corrections & erasures.
	Faculty I/c (Purchase)

EQUIPMENTS/ITEMS TO BE PROCURED FOR WORKSHOP

Sr. No.	Name of equipments	Detailed specification of equipments	Qty.
1.	Digital Vernier Callipers	0 to 150 mm I. C. 0.02 Make MITUT040	01
2.	Digital micrometer	outside 0 to 25 mm. I. C. 0.01 mm. Make MITTUTOYO	01
3.	Vernier Micrometer	I. C. 0.001 mm. Make MITTUTOYO	01
4.	Magnet V block with Clamp	75x100x100 mm	01
5.	Magnet V block with Clamp	200x200x150 mm	01
6.	Magnet V block with Clamp	150x150x100 mm	01
7.	Double Ended Pedestal Grinder	Grinding Wheel Dia. : 200 mm Wheel Centre Distance : 455 mm Main Motor : 0.75 Kw No Load Speed : 3000 RPM Accuracy: as per is standard 2538 True Run Out of Spindle Taper : 0.05 mm Axial Slip of Spindle : 0.1 mm	01
8.	Double Ended Pedestal Grinder	Grinding Wheel Dia. : 350 mm Main Motor : 2 Kw No Load Speed : 1500 RPM Complete with starter & stand.	01
9.	Gear type pillar drilling machine rack and pinion	1. Drilling Capacity-20 mm 2. Spindle Speed- 85-154-260-460-617-1100-1800-360 RPM 3. Spindle Nose Taper- MT-2 4. Spindle Centre To Column- 200 Mm 5. Working Surface Of Table-250x250 Mm 6. Motor 3 Phase Induction AC- 1HP	01
10.	Universal Bevel Protector MITTUTOYO	Can Be Attached To The Vernier Height Gauge. Blade Length- 150 Mm – 300 Mm Graduation – 5min (0°-90°-0°) Remarks – W/60°, 45°,30° Edge	01
11.	Lathe Machine	Length of Bed 1350mm Width of Bed 270mm Height of Centre 225mm Swing over Bed 420mm Swing in Gap 650mm Swing over Cross Slide 275mm Spindle Hollow 42mm Admit between Centres 550mm No of Spindle Speed 6 mm Range of Spindle Speed 50-825 mm No of Feeds 18 mm Range of TPI Threads Cut 4-56 mm	01

		<p>Range of MM of Lead/Pitch 0.5-7 mm Dia &TPI of Lead Screw 32/4 mm Taper in Tail Stock MT-3 mm Power required in HP 1.5 Approx. weight in Kgs. 850 Driving Belts SGH B-33/1 CP B-45/1</p> <p>Complete with Electrical motor Starter, ready to use. Along with 1) Self Centric Chuck 6" (Three Jaw). 2) Four Jaw Independent Chuck 6". 3) Dead Centre. 4) Revolving Centre. 5) Surface Gauge. 6) Standard Tool Kit.</p>	
12.	Electric planer	<p>Name 3-1/4 in. Electric Planer Amperage(amps) 5.5 Material ABS housing, alloy steel blade Maximum speed(rpm) 32000 CPM Base Dimensions 3-1/4 in. Wx6-1/2in. L Depth of cut (in.) 1/16 in. Weight App. 6.95lb Accessories Included rebutting guide</p> <ul style="list-style-type: none"> • Heavy duty amp motor that runs at 3200 CPM max for smooth operation • Alloy steel blades cut to a depth of 1/6 in. • Fully machined aluminum base and well-balanced blade drum for accuracy. • Adjustable cutting depth. • Left/Right dust chute. 	05
13.	Circular Saw Machine	<p>CIRCULAR SAW TILTING TABLE Cutter Size : 12" [Carbide Tip Cutter] Spindle Dia: 1" Depth of Cut : 3" Table Size : 24" x 20" Electric Motor : 1 H.P. , 3 Phase</p>	01