



संत लौगोवाल अभियांत्रिकी एवं प्रौद्योगिकी संस्थान,  
लौगोवाल, संगरूर, पंजाब - १४८ १०६

(मानव संसाधन मंत्रालय के अधीन समविश्वविद्यालय)

**Sant Longowal Institute of Engineering and Technology**

**Longowal, Dist. Sangrur, Punjab - 148106**

(Deemed to be University under MHRD)

Ref No. SLIET/PUR/38/19/950-955

Date: 25/11/2019

REGISTERED

M/s \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Subject: Notice Inviting Quotation for procurement of Lab equipment for Chemistry Department.**

This institute intends to procure the Lab Equipment for Chemistry Department as per Annexure-A you are requested to send the quotation to the office of the undersigned in a sealed cover super scribed "Quotation for Equipment for "Chemistry Department." on or before 18/12/2019.

**Terms Conditions & Conditions are as under:**

**Note:** It may be noted that quotation received only through REGISTERED/SPEED POST shall be considered. The institute is located in remote area and it takes 5 to 7 days to reach the mail, therefore, quotation be dispatched well in time to avoid any sort of delay.

**N.B.:**

1. Rate of GST; if extra must be mentioned clearly.
2. Quotation other than those addressed to Deputy Registrar (Store & Purchase) will not be entertained.
3. Price quoted must be FOR SLIET.
4. Quotation received later than due date are liable to be rejected.
5. Duly signed Quotation must be send on letter head of the party
6. As per instructions, if purpose of quotation is not super scribed on envelope and quotation is opened by mistake, then it will be rejected.
7. Quotation must be valid for a period of 3 months.
8. **EMD of Rs. 10000/- in the shape of DD, FDR or banker's cheque valid for a period of 90 days beyond the final bid validity period is required to be submitted along with quotation.**
9. The other terms and condition for submitting the quotation are given on overleaf which must be read carefully before submitting the quotation.

*A. Singh*  
25/11  
Deputy Registrar  
(Store & Purchase)

**TERMS & CONDITIONS FOR QUOTATION**


<b>DELIVERY</b>	The rate quoted must be free delivery/F.O.R. Longwaal after allowing the discount, if any. Where quoted extra ad-valorem rate payable should clearly be indicated. Supply should be made within the specified delivery period.
<b>TERMS OF PAYMENT</b>	Our normal term of payment is within 45 days after receipt of stores in good condition by means of cheque/draft/RTGS.
<b>PERFORMANCE SECURITY</b>	In case the quoted value is Rupees one lac and above, Performance Security @5% of order value in the shape of Acct. Payee Draft, FDR or BG valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including warranty obligations, as per GFR-2005 rules, is also required.
<b>EMD</b>	<b>EMD of Rs. 10000/- in the shape of DD, FDR or banker's cheque valid for a period of 90 days beyond the final bid validity period is required to be submitted along with quotation</b>
<b>EXEMPTIONS</b>	The Institute is registered with the department of Scientific & Industrial Research (DSIR) for purposes of availing customs duty exemption in terms of Govt. notification No. 51/96-customs dated 23.07.1996 and central excise duty exemption in terms of Govt. notification No. 10/97-central excise dated 01.03.1997 and 45/2017 and 47/2017 dated 14/11/2017 regarding GST as amended from time to time. The relevant exemption certificate will be issued to the successful bidder only if the GST is exclusively mentioned in the commercial bid of e-Tender. <b>NO ADVANCE PAYMENT WILL BE MADE</b>
<b>DIRECTOR'S RIGHTS</b>	Director, SLIET, reserves the rights of acceptance or rejection of any or all quotations. The discretion for increasing or decreasing of the quantities also rests with him. SLIET also does not bind itself to accept the lowest price. In case of any dispute, the decision of Director SLIET will be final & binding.
<b>VALIDITY OF QUOTATIONS</b>	Quotations must remain valid for period of at least 03 months.
<b>SAMPLE/BRAND/MAKE/WEIGHT</b>	Sample where asked for, will invariably be made available and sent along with the quotations. However, Brand/Make/Weight etc. must be mentioned clearly in the quotations. Technical literature/pamphlet should also be enclosed.
<b>REJECTION</b>	Quotation not confirming to the set procedure as above will be rejected. Conditional, telegraphic quotation shall be rejected out rightly.
<b>DISCOUNT/REBATES</b>	A special discount/rebate wherever admissible keeping in view that the supplies are being made for education purpose in respect of Public Institution of national importance may please be indicated.
<b>GENERAL TERMS</b>	SLIET shall not be held responsible for any postal delay in sending or late receipt of quotation. Quotation should be free from corrections & erasures. <b>Other terms &amp; Conditions will be applicable as per GFR-2017.</b>

*Asst*  
*25/11*  
**Deputy Registrar**  
**(Store & Purchase)**

## SANT LONGOWAL INSTITUTE ENGINEERING &amp; TECHNOLOGY LONGOWAL

S.No.	Detailed Generic specifications	Qty.	Price (Rs.)
1	<p><b>Autoclave (Vertical)</b>            Working chamber : 550×350mm            Height× Dia : 750× 550 mm, Vertical , Interior: Thick Gauge non magnetic SS-304, arc welded            Exterior: Mild Steel Chamber : Double walled, Mounting: on study legs, Lid : Mild steel Plate lid Lined with SS-304 sheet, Top lording, Optional SS-304 perforated basket, Sealing: Resilient Neoprene Rubber Gasket, Front panel: Toggle Switches, Release valve, Pressure Gauge, Drainage system : Stream release: by handset valve            Range: 1 psi , Heater: Flanged type immersion water Heater, Outer SS-304 in place of MS            Range: 5 to 20 psi, Accuracy : ± 2 psi            Control; Auto cut off on set pressure            Display: Pressure Gauge            SS : 304 plate lid in place of MS plate lid with SS sheet Safety Locking System(SLS) to prevent opening of lid when chamber is under pressure. Temperature Gauge- Analog or Digital            Automatic pressure control Switch            Automatic low water cut of device</p>	01	
2	<p><b>Grinder</b>            Heavy duty, Universal type 900 Watts with double ball bearing.            Power Consumption- 900w            Supply 230-240V</p>	01	
3	<p><b>Water purification System</b>            Resistivity:- 18.2 MΩ.cm 25°C            Conductivity:- &lt; 0.055 us/cm            TOC:- &lt;5 ppb            Bacteria:- &lt; 1cfu/ ml            Automatic Volume Dispense:- 0.1 ~ 25 Liters            pH Effectively :- Neutral            Automatic Volume Dispense: 0.1 ~ 25 Liters            Particulates: 0.2 um</p>	01	
4	<p><b>Sonicator Bath</b>            Capacity: 4.5 ltrs            Frequency : 50 KHz            Input voltage range : 170V AC - 270V AC, 50 Hz            Operating frequency : 33 KHz            Phase: Single</p>	01	
5	<p><b>Magnetic Stirrer</b>            With Hot Plate, Speed Range 100-1500rpm            Digital Temperature Indicator            Capacity : 2 Ltr</p>	11	
6	<p><b>Hot Air Ovan</b>            40°C to 250°C temperature            Digital temperature controller cum indicator            Stainless steel 304 grade inner chamber            Corrosion resistant exterior            Fume ventilation points on both sides            Stainless steel cable trays            Over temperature protection</p>	02	

7	<b>Abbe Refractor meter</b> Measurement range: - nD 1.3000 to 1.7000 in step of 0.001 Accuracy :+ 0,0002 Sugar(Percentage : 0-9.5% in step od 1 division Temperature: 0-100C Accurate measurement of Indices of Refraction of transparent liquids, solutions and solids.	02	
8	<b>UV Chamber (for TLC)</b> Display Type: LED Light Source: 3 Nos A) Short Wave - 254 nm. B) Long Wave - 365 nm. C) Visible Light No. of Digit: 3.1/2 Tube Size: 12" Long	01	
		<b>Total</b>	

  
**Deputy Registrar**  
**(Store & Purchase)**