



संत लौगोवाल अभियांत्रिकी एवं प्रौद्योगिकी संस्थान,
लौगोवाल, संगरूर, पंजाब - १४८ १०६

(मानव संसाधन मंत्रालय के अधीन समविश्वविद्यालय)

Sant Longowal Institute of Engineering and Technology

Longowal, Dist. Sangrur, Punjab - 148106

(Deemed to be University under MOE)

GST-03AAAAAL6685R1ZZ

Ref. No. SLIET/PUR/ Civil/51/ 20/718 - 722

Date: 29.10.2020

REGISTERED/e-Mail

Subject: Notice Inviting Quotation for Purchase Lab equipments in Civil Engg. Department-Reg.

This institute intends to purchase the Lab Equipments in **Civil Dept.** as per **Annexure-A**, you are requested to send the quotation to the office of the undersigned in a sealed cover super scribed "Quotation for Purchase of equipments for Civil department." **on or before 18/11/2020**

Terms Conditions & Conditions are as under:

Note: It may be noted that quotation received only through REGISTERED/SPEED POST shall be considered not through other mode. The institute is located in remote area and it takes 5 to 7 days to reach the mail, therefore, quotation be dispatched well in time to avoid any sort of delay.


N.B.:

1. Rate of GST, if extra must be mentioned clearly.
2. Quotation other than those addressed to Assistant Registrar (Store & Purchase) will not be entertained.
3. Price quoted must be FOR SLIET.
4. Quotation received later than due date are liable to be rejected.
5. Duly signed Quotation must be send on letter head of the party
6. As per instructions, if purpose of quotation is not super scribed on envelope and quotation is opened by mistake, then it will be rejected.
7. Quotation must be valid for a period of 3 months.
8. **EMD Rs. 5000- in the shape of DD, FDR or banker's cheque valid for a period of 90 days beyond the final bid validity period is required to be submitted along with quotation.**
9. The other terms and condition for submitting the quotation are given on overleaf which must be read carefully before submitting the quotation.

Hansraj Singh
29/10/20
Assistant Registrar
(Store & Purchase)

TERMS & CONDITIONS FOR QUOTATION

DELIVERY	The rate quoted must be free delivery/F.O.R. Longowal after allowing the discount, if any. Where quoted extra ad-valorem rate payable should clearly be indicated. Supply should be made within the specified delivery period.
TERMS OF PAYMENT	Our normal term of payment is within 45 days after receipt of stores in good condition by means of cheque/draft/RTGS.
PERFORMANCE SECURITY	In case the quoted value is Rupees one lac and above, Performance Security @5% of order value in the shape of Acct. Payee Draft, FDR or BG valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including warranty obligations, as per GFR-2005 rules, is also required. Submission of Performance Security is not necessary for a contract value upto Rupees 1 (One) lakh.
EMD	EMD Rs. 5000/- in the shape of DD, FDR or banker's cheque valid for a period of 90 days beyond the final bid validity period is required to be submitted along with quotation
DIRECTOR'S RIGHTS	Director, SLIET, reserves the rights of acceptance or rejection of any or all quotations. The discretion for increasing or decreasing of the quantities also rests with him. SLIET also does not bind itself to accept the lowest price. In case of any dispute, the decision of Director SLIET will be final & binding.
VALIDITY OF QUOTATIONS	Quotations must remain valid for period of at least 03 months.
SAMPLE/BRAND/MAKE/WEIGHT	Sample where asked for, will invariably be made available and sent along with the quotations. However, Brand/Make/Weight etc. must be mentioned clearly in the quotations. Technical literature/pamphlet should also be enclosed.
REJECTION	Quotation not confirming to the set procedure as above will be rejected. Conditional, telegraphic quotation shall be rejected out rightly.
DISCOUNT/REBATES	A special discount/rebate wherever admissible keeping in view that the supplies are being made for education purpose in respect of Public Institution of national importance may please be indicated.
GENERAL TERMS	SLIET shall not be held responsible for any postal delay in sending or late receipt of quotation. Quotation should be free from corrections & erasures. Other terms & Conditions will be applicable as per GFR-2017.


**Assistant Registrar
(Store & Purchase)**

Annexure-'A'

List of Equipments Under OH-35 Head

S No.	Detailed Generic Specification(s)	Qty. to Procure	Price (Rs.)
1	Transit theodolite: 20 sec. erect image suitable for measuring horizontal, vertical angles, with optical plummet 2.5X, Focusing range 0.5 m Erect image 30X coated optic Shortest/Longest measuring distance 1.5 m/300 mt. Graduated circle 360o Vernier reading 20" Objective aperture 40 mm Complete in box with standard accessories and tripod stand of aluminium.	4	
2	Compaction factor apparatus: Used for determination of compaction factor of fresh concrete with nominal maximum size of aggregate not exceeding 40 mm as a measure of its workability. It is particularly suitable for mix of stiffer consistency. It comprises the following: i) Two conical hoppers with trap doors. ii) One cylindrical receiver 0.005 cu m volume. iii) A welded steel stand for mounting the hoppers and the receiver coaxially at specified distances. iv) Two trowels. v) One hand scoop. vi) One standard tamping rod 16 mm dia x 600 mm long.	1	
3	Aggregate impact Testing Apparatus: Required for determining the Impact Value of coarse aggregate. It consists of the following :- i) A heavy circular base with two vertical guides fitted with a cross bar at the top. ii) A hammer of 13.75 kg mass which can be raised and allowed to fall freely through 380 + 5 mm with locking arrangement. iii) A cylindrical cup, a metal measure and a tamping rod 10 mm dia x 230 mm long.	1	
4	Bulk density Cylindrical Measures IS : 2386 (Part - III) -1963, IS : 10079-1982 Required for determining the bulk density or unit weight of aggregates. Three calibrated cylindrical measures one each of 3 litre, 15 litre and 30 litre capacity made out of steel sheet with handles, complete with one tamping rod 16 mm dia x 60 cm long rounded at one end.	1	
5	Sand Replacement Apparatus: The apparatus is suitable for estimation of field density of fine, medium and coarse-grained soils, as per IS : 2720 (part XXVIII) and consists of:- i) Sand Pouring Cylinder, 215 mm internal dia, with conical funnel and shutter. ii) Calibrating container 200 mm inner dia x 250 mm high with 75 mm wide flange. iii) Metal tray 450 mm square x 50 mm deep with a 200 mm dia hole at the centre.	1	